

**MEDICAL ONCOLOGY**

<b>CPT Code</b>	<b>Group (EN)</b>	<b>CPT Long Description (EN)</b>	<b>CPT Long Description (GR)</b>	<b>Weight</b>
99201	Consultation	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Typically, 10 minutes are spent face-to-face with the patient and/or family.		1.25
99202	Consultation	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Typically, 20 minutes are spent face-to-face with the patient and/or family.		2.10
99203	Consultation	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A detailed history; A detailed examination; Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. Typically, 30 minutes are spent face-to-face with the patient and/or family.		3.05
99204	Consultation	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 45 minutes are spent face-to-face with the patient and/or family.		4.65

CPT Code	Group (EN)	CPT Long Description (EN)	CPT Long Description (GR)	Weight
99205	Consultation	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 60 minutes are spent face-to-face with the patient and/or family.		5.85
99212	Follow-up consultation	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Typically, 10 minutes are spent face-to-face with the patient and/or family.		1.25
99213	Follow-up consultation	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: An expanded problem focused history; An expanded problem focused examination; Medical decision making of low complexity. Counseling and coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Typically, 15 minutes are spent face-to-face with the patient and/or family.		2.00
99214	Follow-up consultation	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A detailed history; A detailed examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 25 minutes are spent face-to-face with the patient and/or family.		3.05
99215	Follow-up consultation	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 40 minutes are spent face-to-face with the patient and/or family.		4.10

CPT Code	Group (EN)	CPT Long Description (EN)	CPT Long Description (GR)	Weight
99244-ONCO	Follow-up consultation	Office consultation for a new or established patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 60 minutes are spent face-to-face with the patient and/or family.		5.85
99441	Follow-up consultation	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion	Τηλεφωνική αξιολόγηση και διαχείριση από γιατρό ή άλλο εξειδικευμένο επαγγελματία υγείας που μπορεί να αναφέρει υπηρεσίες αξιολόγησης και διαχείρισης που παρέχονται σε υφιστάμενο ασθενή, γονέα ή κηδεμόνα που δεν προέρχεται από σχετική υπηρεσία Α/Δ που παρέχεται εντός των προηγούμενων 7 ημερών ούτε οδηγεί σε Υπηρεσία ή διαδικασία Α/Δ εντός των επόμενων 24 ωρών ή το συντομότερο διαθέσιμο ραντεβού. 5-10 λεπτά ιατρικής συζήτησης	1.20
CY089	Activities	Facility fee ≤ 30 min		€80 fixed fee
CY125	Activities	Facility fee > 30 min		€120 fixed fee
CY293	Activities	Preapproval request for overseas healthcare services - <b>Normal Case</b>	Αίτημα προέγκρισης για λήψη υπηρεσιών φροντίδας υγείας στο εξωτερικό - <b>Κανονικό Περιστατικό</b>	0.00

CPT Code	Group (EN)	CPT Long Description (EN)	CPT Long Description (GR)	Weight
CY294	Activities	Preapproval request for overseas healthcare services - <b>Urgent Case</b>	Αίτημα προέγκρισης για λήψη υπηρεσιών φροντίδας υγείας στο εξωτερικό - <b>Επείγον Περιστατικό</b>	0.00
CY295	Activities	Preapproval request for overseas healthcare services - <b>Life threatening Case</b>	Αίτημα προέγκρισης για λήψη υπηρεσιών φροντίδας υγείας στο εξωτερικό - <b>Απειλητικό για τη ζωή Περιστατικό</b>	0.00
10021	Activities	Fine needle aspiration biopsy, without imaging guidance; first lesion	Βιοψία αναρρόφησης διά λεπτής βελόνης, χωρίς απεικονιστική καθοδήγηση, πρώτη βλάβη	8.50
10022	Activities	Fine needle aspiration; with imaging guidance	Αναρρόφηση διά λεπτής βελόνης, με απεικονιστική καθοδήγηση	10.00
10160	Activities	Puncture aspiration of abscess, hematoma, bulla, or cyst	Παρακέντηση με αναρρόφηση αποστήματος, αιματώματος, φυσαλλίδας ή κύστης	6.00

CPT Code	Group (EN)	CPT Long Description (EN)	CPT Long Description (GR)	Weight
11102	Activities	Tangential biopsy of skin (eg, shave, scoop, saucerize, curette); single lesion		3.05
11103	Activities	Tangential biopsy of skin (eg, shave, scoop, saucerize, curette); each separate/additional lesion (List separately in addition to code for primary procedure)		1.51
11104	Activities	Punch biopsy of skin (including simple closure, when performed); single lesion		3.78
11105	Activities	Punch biopsy of skin (including simple closure, when performed); each separate/additional lesion (List separately in addition to code for primary procedure)		1.78
11106	Activities	Incisional biopsy of skin (eg, wedge) (including simple closure, when performed); single lesion		4.68

CPT Code	Group (EN)	CPT Long Description (EN)	CPT Long Description (GR)	Weight
11107	Activities	Incisional biopsy of skin (eg, wedge) (including simple closure, when performed); each separate/additional lesion (List separately in addition to code for primary procedure)		2.15
32554	Activities	Thoracentesis, needle or catheter, aspiration of the pleural space; without imaging guidance	Θωρακική παρακέντηση με βελόνα ή καθετήρα, αναρρόφηση της υπεζωκοτικής κοιλότητας, χωρίς απεικονιστική καθοδήγηση	7.00
32555	Activities	Thoracentesis, needle or catheter, aspiration of the pleural space; with imaging guidance	Θωρακική παρακέντηση με βελόνα ή καθετήρα, αναρρόφηση της υπεζωκοτικής κοιλότητας, με απεικονιστική καθοδήγηση	11.70
36000	Activities	Introduction of needle or intracatheter, vein	Εισαγωγή βελόνας ή ενδοκαθετήρα, φλέβα	0.70
36415	Activities	Collection of venous blood by venipuncture	Λήψη φλεβικού αίματος με φλεβοκέντηση	0.10

CPT Code	Group (EN)	CPT Long Description (EN)	CPT Long Description (GR)	Weight
36600	Activities	Arterial puncture, withdrawal of blood for diagnosis	Αρτηριακή παρακέντηση, λήψη αίματος για διάγνωση	2.00
49082	Activities	Abdominal paracentesis (diagnostic); without imaging guidance	Κοιλιακή παρακέντηση (διαγνωστική), χωρίς απεικονιστική καθοδήγηση	6.00
49083	Activities	Abdominal paracentesis (diagnostic or therapeutic); with imaging guidance	Κοιλιακή παρακέντηση (διαγνωστική ή θεραπευτική), με απεικονιστική καθοδήγηση	9.50
51702	Activities	Insertion of temporary indwelling bladder catheter; simple (eg, Foley)	Εισαγωγή προσωρινού μόνιμου καθετήρα ουροδόχου κύστης, απλή (π.χ. Foley)	3.00
51703	Activities	Insertion of temporary indwelling bladder catheter; complicated (eg, altered anatomy, fractured catheter/balloon)	Εισαγωγή προσωρινού μόνιμου καθετήρα ουροδόχου κύστης, επιπλεγμένη (π.χ. διαταραχή ανατομίας, ρήξη καθετήρα/αεροθαλάμου)	5.00

CPT Code	Group (EN)	CPT Long Description (EN)	CPT Long Description (GR)	Weight
62270	Activities	Spinal puncture, lumbar, diagnostic	Σπονδυλική παρακέντηση, οσφυϊκή, διαγνωστική	4.50
76942	ULTRASOUND	Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision and interpretation	Υπερηχογραφική καθοδήγηση για τοποθέτηση βελόνης (π.χ. βιοψία, αναρρόφηση, έγχυση, συσκευή εντοπισμού), επίβλεψη απεικόνισης και ερμηνεία	1.00
93000	Activities	Electrocardiogram, routine ECG with at least 12 leads; with interpretation and report	Ηλεκτροκαρδιογράφημα, ΗΚΓ ρουτίνας με τουλάχιστον 12 απαγωγές, με ερμηνεία και έκθεση	1.00
94640	Activities	Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	Θεραπεία εισπνοών υπό πίεση ή χωρίς για λύση οξείας αποφραξης αεραγωγού για θεραπευτικούς ή/και διαγνωστικούς σκοπούς, όπως πρόκληση πτυέλων με γεννήτρια αερολύματος, νεφελοποιητή, δοσιμετρική συσκευή εισπνοής ή συσκευή διαλείπουσας αναπνοής θετικής (IPPB)	3.00
96360	Activities	Intravenous infusion, hydration; initial, 31 minutes to 1 hour	Ενδοφλέβια έγχυση, ενυδάτωση, αρχική, 31 λεπτά έως 1 ώρα	1.00

CPT Code	Group (EN)	CPT Long Description (EN)	CPT Long Description (GR)	Weight
96361	Activities	Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure)	Ενδοφλέβια έγχυση, ενυδάτωση, κάθε επιπλέον ώρα (Να καταγράφεται ξεχωριστά επιπλέον του κωδικού της κύριας διαδικασίας)	0.50
96365	Activities	Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	Ενδοφλέβια έγχυση, για θεραπεία, προφύλαξη ή διάγνωση (προσδιορίστε ουσία ή φάρμακο), αρχική, έως 1 ώρα	2.00
96366	Activities	Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); each additional hour (List separately in addition to code for primary procedure)	Ενδοφλέβια έγχυση για θεραπεία, προφύλαξη ή διάγνωση (προσδιορίστε την ουσία ή το φάρμακο), κάθε επιπλέον ώρα (Καταγράφεται ξεχωριστά επιπλέον του κωδικού της αρχικής διαδικασίας)	0.50
96372	Activities	Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular	Ένεση για θεραπευτικούς, προφυλακτικούς ή διαγνωστικούς σκοπούς (προσδιορίστε την ουσία ή το φάρμακο), υποδόρια ή ενδομυϊκή	0.50
97010	Activities	Application of a modality to 1 or more areas; hot or cold packs	Εφαρμογή θεραπευτικής πρακτική σε 1 ή περισσότερες περιοχές, θερμά ή κρύα επιθέματα	0.10

CPT Code	Group (EN)	CPT Long Description (EN)	CPT Long Description (GR)	Weight
----------	------------	---------------------------	---------------------------	--------

Τελευταία Ημερομηνία Αναθεώρησης: 20 Μαρτίου 2026